

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**NAM HENG SAFETY GLASS SDN. BHD.
LOT32482 (PT17945) JLN TJ2/7
KWS PERIND. TAMAN TUANKU JAAFAR
TAMAN TUANKU JAAFAR
71450 SEREMBAN
NEGERI SEMBILAN, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on**

INSULATING GLASS UNIT (IGU)

Please refer to detail in the SCHEDULE

**sebagai mematuhi keperluan
as complying with**

MS 2666 : 2016



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

NAM HENG SAFETY GLASS SDN. BHD.



Trade Mark : NHG
Model : DOUBLE GLAZING
Rating : SOUND INSULATION = NOT APPLICABLE
Type : AIR GAS FILLED, PRIMARY SEALANT TYPE = POLYISOBUTYL (PIB),
SECONDARY SEALANT TYPE = SILICONE, SPACER = ALUMINIUM SPACER
Size : TOTAL THICKNESS (mm) = 12 – 63.04; MAXIMUM SIZE (mm) = 3000 x 6000

End of page
