

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

NAM HENG SAFETY GLASS SDN. BHD.
LOT32482 (PT17945) JLN TJ2/7
KWS PERIND. TAMAN TUANKU JAAFAR
TAMAN TUANKU JAAFAR
71450 SEREMBAN
NEGERI SEMBILAN, MALAYSIA



ACB 001

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

LAMINATED SAFETY GLASS IN BUILDING

Please refer to detail in the **SCHEDULE**



sebagai mematuhi keperluan
as complying with

MS 1498 : 2017



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

NAM HENG SAFETY GLASS SDN. BHD.



Trade Mark : NHG
Model : FLOAT LAMINATED SAFETY GLASS
Rating : CLASS 1
Type : LAYERS OF GLASS = 2; INTERLAYER = POLYVINYL BUTYRAL (PVB)
Size : FLOAT GLASS THICKNESS (mm) = 3, 4, 5, 6, 8, 10, 12, 15, 19; INTERLAYER THICKNESS (mm) = 0.38, 0.76, 1.14, 1.52; TOTAL THICKNESS (mm) = 6.38 - 39.52



Trade Mark : NHG
Model : TEMPERED LAMINATED SAFETY GLASS
Rating : CLASS 1
Type : LAYERS OF GLASS = 2; INTERLAYER = POLYVINYL BUTYRAL (PVB)
Size : TEMPERED GLASS THICKNESS (mm) = 4, 5, 6, 8, 10, 12, 15, 19; INTERLAYER THICKNESS (mm) = 1.52, 1.90, 2.28, 3.04; TOTAL THICKNESS (mm) = 9.52 - 41.04



Trade Mark : NHG
Model : TEMPERED LAMINATED SAFETY GLASS
Rating : CLASS 1
Type : LAYERS OF GLASS = 3; INTERLAYER = POLYVINYL BUTYRAL (PVB)
Size : TEMPERED GLASS THICKNESS (mm) = 6, 8, 10, 12; INTERLAYER THICKNESS (mm) = 1.52, 1.90, 2.28; TOTAL THICKNESS (mm) = 25.04 - 38.56

Trade Mark : NHG
Model : HEAT STRENGTHENED LAMINATED SAFETY GLASS
Rating : CLASS 1
Type : LAYERS OF GLASS = 2; INTERLAYER = POLYVINYL BUTYRAL (PVB)
Size : HEAT STRENGTHENED GLASS THICKNESS (mm)= 4, 5, 6, 8, 10; INTERLAYER THICKNESS (mm)= 1.52; TOTAL THICKNESS (mm)= 9.52 – 21.52

End of page